



June 06, 2016

Meagan E. Ormand Golder Associates Inc. 2108 W. Laburnum Ave. Suite 200 Richmond, VA 23227

RE: Project: BREMO MONTHLY PROCESS

Pace Project No.: 92300032

Dear Meagan Ormand:

Enclosed are the analytical results for sample(s) received by the laboratory on June 03, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

Some analyses have been subcontracted outside of the Pace Network. The subcontracted laboratory report has been attached.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Nicole Gasiorowski

Micolo Yasiorovske

nicole.gasiorowski@pacelabs.com

Project Manager

Enclosures






Huntersville, NC 28078 (704)875-9092



June 06, 2016 Page 2

cc: Ron DiFrancesco, Golder Associates Inc. Martha Smith, Golder Associates Inc. Mike Williams, Golder Associates Inc







CERTIFICATIONS

Project: BREMO MONTHLY PROCESS

Pace Project No.: 92300032

Ormond Beach Certification IDs

8 East Tower Circle, Ormond Beach, FL 32174

Alabama Certification #: 41320 Connecticut Certification #: PH-0216

Delaware Certification: FL NELAC Reciprocity

Florida Certification #: E83079 Georgia Certification #: 955

Guam Certification: FL NELAC Reciprocity Hawaii Certification: FL NELAC Reciprocity

Illinois Certification #: 200068

Indiana Certification: FL NELAC Reciprocity

Kansas Certification #: E-10383

Louisiana Certification #: FL NELAC Reciprocity Louisiana Environmental Certificate #: 05007

Maryland Certification: #346 Michigan Certification #: 9911

Mississippi Certification: FL NELAC Reciprocity

Missouri Certification #: 236 Montana Certification #: Cert 0074 Nebraska Certification: NE-OS-28-14

Nevada Certification: FL NELAC Reciprocity

New York Certification #: 11608

North Carolina Environmental Certificate #: 667


North Carolina Certification #: 12710
North Dakota Certification #: R-216
Oklahoma Certification #: D9947
Pennsylvania Certification #: 68-00547
Puerto Rico Certification #: FL01264
South Carolina Certification: #96042001
Tennessee Certification #: TN02974
Texas Certification: FL NELAC Reciprocity

US Virgin Islands Certification: FL NELAC Reciprocity

Virginia Environmental Certification #: 460165
Wyoming Certification: FL NELAC Reciprocity

West Virginia Certification #: 9962C Wisconsin Certification #: 399079670

Wyoming (EPA Region 8): FL NELAC Reciprocity





SAMPLE ANALYTE COUNT

Project: BREMO MONTHLY PROCESS

Pace Project No.: 92300032

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92300032001	T1-160603-1040-S3	EPA 200.7	CKJ	8	PASI-O
92300032002	T2-160603-1325-S3	EPA 200.7	CKJ	8	PASI-O



PROJECT NARRATIVE

Project: BREMO MONTHLY PROCESS

Pace Project No.: 92300032

Method: EPA 200.7
Description: 200.7 MET ICP

Client: Golder_Dominion_Bremo

Date: June 06, 2016

General Information:

2 samples were analyzed for EPA 200.7. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 200.7 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:


All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.






ANALYTICAL RESULTS

Project: BREMO MONTHLY PROCESS

Pace Project No.: 92300032

Date: 06/06/2016 04:31 PM

Sample: T1-160603-1040-S3	Lab ID: 9230	00032001	Collected: 06/03/1	6 10:40	0 Received: 06	6/03/16 14:10 I	Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP	Analytical Meth	od: EPA 20	0.7 Preparation Met	hod: El	PA 200.7			
Aluminum	337	ug/L	100	1	06/04/16 12:46	06/04/16 16:45	7429-90-5	
Barium	211	ug/L	10.0	1	06/04/16 12:46	06/04/16 16:45	7440-39-3	
Beryllium	ND	ug/L	1.0	1	06/04/16 12:46	06/04/16 16:45	7440-41-7	
Boron	461	ug/L	50.0	1	06/04/16 12:46	06/04/16 16:45	7440-42-8	
Cobalt	ND	ug/L	10.0	1	06/04/16 12:46	06/04/16 16:45	7440-48-4	
Iron	ND	ug/L	250	1	06/04/16 12:46	06/04/16 16:45	7439-89-6	
Molybdenum	95.6	ug/L	10.0	1	06/04/16 12:46	06/04/16 16:45	7439-98-7	
Vanadium	28.0	ug/L	10.0	1	06/04/16 12:46	06/04/16 16:45	7440-62-2	





ANALYTICAL RESULTS

Project: BREMO MONTHLY PROCESS

Pace Project No.: 92300032

Date: 06/06/2016 04:31 PM

Sample: T2-160603-1325-S3	Lab ID: 9230	00032002	Collected: 06/03/1	16 13:23	Received: 06	6/03/16 14:10 I	Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP	Analytical Meth	od: EPA 20	0.7 Preparation Met	thod: El	PA 200.7			
Aluminum	324	ug/L	100	1	06/04/16 12:46	06/04/16 16:56	7429-90-5	
Barium	163	ug/L	10.0	1	06/04/16 12:46	06/04/16 16:56	7440-39-3	
Beryllium	ND	ug/L	1.0	1	06/04/16 12:46	06/04/16 16:56	7440-41-7	
Boron	416	ug/L	50.0	1	06/04/16 12:46	06/04/16 16:56	7440-42-8	
Cobalt	ND	ug/L	10.0	1	06/04/16 12:46	06/04/16 16:56	7440-48-4	
Iron	ND	ug/L	250	1	06/04/16 12:46	06/04/16 16:56	7439-89-6	
Molybdenum	68.4	ug/L	10.0	1	06/04/16 12:46	06/04/16 16:56	7439-98-7	
Vanadium	21.4	ug/L	10.0	1	06/04/16 12:46	06/04/16 16:56	7440-62-2	



QUALITY CONTROL DATA

Project: BREMO MONTHLY PROCESS

Pace Project No.: 92300032

Date: 06/06/2016 04:31 PM

QC Batch: MPRP/30839 Analysis Method: EPA 200.7
QC Batch Method: EPA 200.7 Analysis Description: 200.7 MET

Associated Lab Samples: 92300032001, 92300032002

METHOD BLANK: 1595441 Matrix: Water

Associated Lab Samples: 92300032001, 92300032002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Aluminum	ug/L	ND ND	100	06/04/16 16:37	
Barium	ug/L	ND	10.0	06/04/16 16:37	
Beryllium	ug/L	ND	1.0	06/04/16 16:37	
Boron	ug/L	ND	50.0	06/04/16 16:37	
Cobalt	ug/L	ND	10.0	06/04/16 16:37	
Iron	ug/L	ND	250	06/04/16 16:37	
Molybdenum	ug/L	ND	10.0	06/04/16 16:37	
Vanadium	ug/L	ND	10.0	06/04/16 16:37	

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
	_					
Aluminum	ug/L	2500	2600	104	85-115	
Barium	ug/L	250	260	104	85-115	
Beryllium	ug/L	25	26.5	106	85-115	
Boron	ug/L	2500	2610	104	85-115	
Cobalt	ug/L	250	264	105	85-115	
Iron	ug/L	2500	2560	103	85-115	
Molybdenum	ug/L	250	255	102	85-115	
Vanadium	ug/L	250	257	103	85-115	

MATRIX SPIKE & MATRIX SP	IKE DUPLICAT	E: 15954	43		1595444						
			MS	MSD							
	923	300032001	Spike	Spike	MS	MSD	MS	MSD	% Rec		
Parameter	Units	Result	Conc.	Conc.	Result	Result	% Rec	% Rec	Limits	RPD	Qual
Aluminum	ug/L	337	2500	2500	2980	2900	106	102	70-130	3	
Barium	ug/L	211	250	250	485	468	109	103	70-130	3	
Beryllium	ug/L	ND	25	25	26.7	26.2	107	105	70-130	2	
Boron	ug/L	461	2500	2500	3110	3050	106	104	70-130	2	
Cobalt	ug/L	ND	250	250	269	262	107	105	70-130	3	
Iron	ug/L	ND	2500	2500	2700	2620	104	101	70-130	3	
Molybdenum	ug/L	95.6	250	250	364	351	107	102	70-130	4	
Vanadium	ug/L	28.0	250	250	293	286	106	103	70-130	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.



QUALIFIERS

Project: BREMO MONTHLY PROCESS

Pace Project No.: 92300032

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

Acid preservation may not be appropriate for 2 Chloroethylvinyl ether, Styrene, and Vinyl chloride.

A separate vial preserved to a pH of 4-5 is recommended in SW846 Chapter 4 for the analysis of Acrolein and Acrylonitrile by EPA Method 8260.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

Date: 06/06/2016 04:31 PM

PASI-O Pace Analytical Services - Ormond Beach

(704)875-9092





QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: **BREMO MONTHLY PROCESS**

Pace Project No.: 92300032

Date: 06/06/2016 04:31 PM

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92300032001	T1-160603-1040-S3	EPA 200.7	MPRP/30839	EPA 200.7	ICP/18438
92300032002	T2-160603-1325-S3	EPA 200.7	MPRP/30839	EPA 200.7	ICP/18438

Pace Analytical*

Document Name: Sample Condition Upon Receipt(SCUR)

Document No.: F-MEC-CS-009-rev.02 Document Revised: 26FEB2016

Page 1 of 2

Issuing Authority: Pace Mechanicsville Quality Office

Sample Condition Upon Client Name:	- g	æ		Project #: WO#: 92300032
Courier:		JSPS Other:		Client 92300032
Custody Seal Present? Yes No Se	eals Intact?	abla	/ Yes	
Packing Material: Bubble Wrap Thermometer: RMD001 Correction Factor: 0.0°C Cooler Temp Corrected (Temp should be above freezing to 6°C USDA Regulated Soil (N/A, water sample) Did samples or iginate in a quarantine zone within the Unit	°C):	gs e of Ice:	Non ę ⊠Wei	Date/Initials Person Examining Contents 63 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
Chain of Custo dy Present?	yes	□No		COMMENTS:
Chain of Custo dy Filled Out?	✓ Yes	W		
Chain of Custody Relinquished?	Yes			
Sampler Name and/or Signature on COC?	Yes		□N/A	
Samples Arrived within Hold Time?	Yes	□No	□N/A	
Short Hold Time Analysis (<72 hr)?	Yes	□No	□N/A	
Rush Turn Around Time Requested?	Ves	No	□N/A	
Sufficient Volume?	Yes	□N ₀	□N/A	
Correct Containers Used?	Yes	No	□N/A	
-Pace Containers Used?	Yes	□No	□N/A	9.
Containers Intact?	Yes	□No	□N/A	
Filtered Volume Received for Dissolved Tests?	49-305	□No	□N/A	10.
Sample Labels Match COC?	Yes Yes	□No □No	☑N/A	11. Note if sediment is visible in the dissolved container
-Includes Date/Time/ID/Analysis Matrix:	LAires	LINO	□n/a	12.
All containers needing acid/base preservation have been checked? All containers needing preservation are found to be in compliance with EPA recommendation?	Yes	□No	□N/A	13.
(HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide) Exceptions: VOA, Coliform, TOC, Oil and Grease,	√√Yes	□No	□N/A	
DRO/8015 (water) DOC,LLHg	□Yes	□No	□n/a	
Samples checked for dechlorination	Yes	□No	□N/A □N/A	14.
Headspace in VOA Vials (>5-6mm)?	□Yes	□No	N/A	15.
Trip Blank Present?	□Yes	□No	N/A	16.
Trip Blank Custody Seals Present?	□Yes	□No	N/A	
Pace Trip Blank Lot # (if purchased):			2 10	
CLIENT NOTIFICATION/RESOLUTION				Field Data Required? Yes No
Person Contacted:			•	270
Comments/Resolution:				Date/Time:
Project Manager SCURF Review:	NW	16		Date:
Project Manager SRF Review: Note: Whenever there is a discrepancy affecting North Carolina	Compliance	NG	2.00	Date: 0 3 10 f this form will be sent to the North Carolina DEHNR Certification Office (i.e.
Out of hold, incorrect preservative, out of temp, incorrect conta	iners)	. Jumpies,	a copy 01	this form will be sent to the North Carolina DEHNR Certification Office (i.e.



					19/200	ll by	12	=	10	9	8	7	6	Οī	4	ω	2	1	ITEM#			equest	none:			ddress:	ompany:	ection A equired C	1
					es to be performed unde	ADDITIONAL COMMENTS											72-16060	T1-160603	SAMPLE ID (A-Z, 0-9 /,-) Sample IDs MUST BE UNIQUE	Required Client Information	o cation D	equested Due Date/TAT:	804-551-0129		Richmond, VA 23227			Clien	www.pacelabs.com
					analyses to be performed under Golder-Pace MSA dated 19/2008	COMMENTS											3-1372-2	-104	100 B 100 0 0 0 0			24 HOUR	Fax: 804-358-2900	older.com	23227	2108 W Laburnum Ave, Ste 200	iates		bs.com
					1												lv)		TER WW P OL AR AR TS			Project Number:	Project Name:	Purchase Order No.:		Сору То:	Report To:	Section B Required Project Information:	
					A	RELIN											N.K	WW	MATRIX CODE (see valid coo	les to left)				Order N	Ron	Mart	Morr	3 Project	
				1 1	1	QUISI						1	4				P	4	SAMPLE TYPE (G=GRAB C=	COMP)		1520	Bren	ō.:	Difra	ha_S	mand	Inform	
		g			6	RELINQUISHED BY / AFFILIATION											6/3/16	613116	COMPOSITE START			1520-347. 220	Bremo Monthly Compliance Process		Ron_Difrancesco@golder.com	Martha_Smith@golder.com	Report To: Mormand@golder.com	nation:	
SIGN	PRIN	SAMPLER NAME AND SIGNATURE			Golder)	FILIATION			+								61	: 6/	Min in the second secon	COLLECTED		200	Gomplian		golder.con	der.com	om		=
SIGNATURE of SAMPLER:	PRINT Name of SAMPLER:	AME AND	-		27				-									613116 16	COMPOSITE END/GRAB	TED			e Pro		ח				יוופ טיישווייטיי-טיאיטעץ זא ע רביטאר אטרטעווברער. אוו relevant neids must be completed accurately.
AMPL	SAMPL	SIGNA			8/3/16	DATE											1335	040	TIME				58						Clasion
E.	ER:	TURE			`		4	+	4	_	+	-	4	_					SAMPLE TEMP AT COLLECTIO	N]	77	27	7.77	Į				0
	8				0141	TIME		-	4	-	_	-		_			h	W	# OF CONTAINERS	_	4	Pace Profile #:	Pace Project Manager:	Pace Quote	Address:	Company Name:	Attention:	Section C Invoice Information:	5
	B. Diehl				0			+	1		+	+	+	+	+	+	\dashv		Unpreserved H ₂ SO ₄	+	1	ofile #:	oject	rote	S:	ny Na	'n.	on C	Ç
1	eh (1			>ζ.	×	HNO ₃	Pres	ı				gaia		Me	nation:	j
				1 \$	1		+	+	+		-	+	+	+	+	\dashv	×	×	HCI NaOH	Preservatives					gaiapdataentry	Golder Associates	Meagan Ormand		
				1 5	K	ACCE			+		+	$^{+}$		†	\dashv		"	$\hat{\dashv}$	Na ₂ S ₂ O ₃	ative	1				taen	er A	Orr		ç
					M	EP I													Methanol] "	ı					SSOC	nanc		9
					7	PTED B			_							\perp			Other		L	1	1		nvoi	iate			
						BY / A	_	_	_	-	-	_	_	_	F	_		_	↓Analysis Test↓	Y/N,	4				ces("			į
)ATE						골	+	1	+		+	+	+	+					200.7 - Al, Ba, Be, B, Co 200.7 - Fe, Mo, V	-	Re				gol				į
DATE Signed 6/3/16						AFFILIATION			+	1		+	+	+	1	\rightarrow		$\overline{}$	ASTM4282 - Free Cyani	d	Requested				invoices@golder.com				6
3/3							1		+	1		1		#							Analysis Filtered		Site	٦	_	REG	_		
6						DATE	+		+	+		+	-	+	+	+	+			-	/sis	ST	Site Location	TSU	NPDES	ÜLA			iciy.
												İ										STATE:	ation		S	NS NS			
					C	Ţ	\perp					T		T	1						leg (\neg	٦		Y A			
				1	3	TIME	+	-	+	+	-	+	+	+	+		+	4			(X/N)	$\ \ _{2}$		RCRA	GRO	REGULATORY AGENCY	г	7	
Tom	nn in °	C			u	+	+	+	+	+	+	+	+	+	+		+	\dashv		\vdash		Á		D	GROUND WATER	욉		Page:	
rem	np in °	0		-	1										_	3	>	z	Residual Chlorine (Y/N)		111				WAT				
	eived o			-	<	<u>"</u> [T	Q						F				
Ice	(Y/N))				SAMP													Z Z						٦			· ·	
Custoo	dy Sea	aled				SAMPLE CONDITIONS													A2380032					단	밁			of.	
	er (Y/I			1	-	OND																		OTHER	Z				
				\vdash	\exists	NOIT													S G						NG N				
	les Int	act		-	4	5											_		28						DRINKING WATER				
()	Y/N)															6	50	5	5							ړ	إ	, → P-Pro	ge 12 c
			1	1 1	- 1		- 1	- 1	1	1	1		1	1		- [14	-		11111	1111	IIII	111	1		O(1)	168	1/54	,



Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

ANALYTICAL RESULTS

Prepared by:

Prepared for:

Eurofins Lancaster Laboratories Environmental 2425 New Holland Pike Lancaster, PA 17601 Pace Analytical Services Suite 100 9800 Kincey Ave Huntersville NC 28078

Report Date: June 06, 2016

Project: 92300032

Submittal Date: 06/04/2016 Group Number: 1668507 PO Number: NMG 15566 State of Sample Origin: VA

 Client Sample Description
 (LL) #

 T1-160603-1040-S3 Water Sample
 8410941

 T2-160603-1325-S3 Water Sample
 8410942

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our scopes of accreditation can be viewed at http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/.

Electronic Copy To Pace Analytical Services Attn: Nicole Gasiorowski

Respectfully Submitted,

Bonnie Stadelmann Senior Project Manager

Bornie Stadelmann

(312) 590-3133



Lancaster Laboratories Environmental

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: T1-160603-1040-S3 Water Sample

92300032001

92300032

LL Sample # WW 8410941 LL Group # 1668507 Account # 10945

1

Project Name: 92300032

Submitted: 06/04/2016 09:45

Reported: 06/06/2016 15:32

Collected: 06/03/2016 10:40 Pace Analytical Services

Suite 100

9800 Kincey Ave

Huntersville NC 28078

CAT Limit of Dilution No. Analysis Name CAS Number Result Quantitation Factor

 Wet Chemistry
 OIA-1677-09
 mg/l
 mg/l

 12941
 Free Cyanide
 n.a.
 < 10.0</td>
 10.0

Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT	Analysis Name	Method	Trial#	Batch#	Analysis	Analyst	Dilution
No.					Date and Time		Factor
12941	Free Cyanide	OIA-1677-09	1	16157941101A	06/05/2016 18:39	Joseph E McKenzie	1



Lancaster Laboratories Environmental

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: T2-160603-1325-S3 Water Sample

92300032002

92300032

LL Sample # WW 8410942 LL Group # 1668507 Account # 10945

1

Project Name: 92300032

Submitted: 06/04/2016 09:45

Reported: 06/06/2016 15:32

Collected: 06/03/2016 13:23 Pace Analytical Services

Suite 100

9800 Kincey Ave

Huntersville NC 28078

CAT Limit of Dilution No. Analysis Name CAS Number Result Quantitation Factor

 Wet Chemistry
 OIA-1677-09
 mg/l
 mg/l

 12941
 Free Cyanide
 n.a.
 < 10.0</td>
 10.0

Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

 CAT
 Analysis Name
 Method
 Trial#
 Batch#
 Analysis
 Analysis
 Analyst
 Dilution

 No.
 12941
 Free Cyanide
 OIA-1677-09
 1
 16157941101A
 06/05/2016
 18:41
 Joseph E McKenzie
 1



Lancaster Laboratories Environmental

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Quality Control Summary

Client Name: Pace Analytical Services Group Number: 1668507

Reported: 06/06/2016 15:32

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Method Blank

 Analysis Name
 Result
 LOQ

 mg/l
 mg/l

 Batch number: 16157941101A
 Sample number(s): 8410941-8410942

 Free Cyanide
 < 10.0</td>
 10.0

LCS/LCSD

Analysis Name	LCS Spike Added mg/l	LCS Conc mg/l	LCSD Spike Added mg/l	LCSD Conc mg/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 16157941101A	Sample numbe	r(s): 8410	941-8410942						
Free Cyanide	0.0400	0.0411			103		86-132		

MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc mg/l	MS Spike Added mg/l	MS Conc mg/l	MSD Spike Added mg/l	MSD Conc mg/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: 161579413	-			0942 UNSPK:		104	112	86-132	9*	2
Free Cyanide	< 0.030	0.100	0.104	0.100	0.113	104	113	86-132	9 ^	3

Laboratory Duplicate

Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	BKG Conc	DUP Conc	DUP RPD	DUP RPD Max	
	mg/l	mg/l			
Batch number: 16157941101A Free Cyanide	<pre>Sample number(s): < 0.030</pre>	8410941-8410942 BF < 0.030	G: P407127 0 (1)	20	

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

^{*-} Outside of specification

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.


⁽²⁾ The unspiked result was more than four times the spike added.

10945 | 1668507 | 8410941-42

Chain of Custody



Work	order: 92300032	Workorder Name: BREMO MONTHLY PROCESS				Results Requested By: 6/6/2016									
Repor	t/Invoice To	Subcontract To				Requested Analysis									
Pace 9800 Hunte Phone	e Gasiorowski Analytical Charlotte Kincey Ave. Suite 100 ersville, NC 28078 e (704)875-9092 : nicole.gasiorowski@pace	Sample Administration P.O. NIMG 15566 Eurofins Lancaster Caboratories Env. 2425 New Holland Pike						yanielo	ania						
State	of Sample Origin: VA					Pre	served C	ontainers	$\exists \bigcirc $						
Item	Sample ID	Collect Date/Time		ab ID	Matrix	15c3y			Free						LAB USE ONLY
1	T1-160603-1040-S3	6/3/2016 1	0:40 9	2300032001	Water	2			Х						
2	T2-160603-1325-\$3	6/3/2016 1	3:23 9	2300032002	Water	2			Х						
3															
4															
5															
					yaktelik et sa						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Co	mments	í .	
Trans	A		Date/Time	Receive	d By			Date/Ti	me						
1	Kashel Blin	rиss	63-161	630											
2							·			1					
3				The	DIWA	100	· ·	6/4	1//	0945					
Cool	er Temperature on Rec	eipt <u>≶ , </u> °C	Cu	stody Seal	Y or N	$\bar{\mathbf{h}}$	R	eceived o	n Ice	Y or N		Sa	mples	Intac	ct(Y) or N



Lancaster Laboratories Environmental

Sample Administration Receipt Documentation Log

Doc Log ID:

149081

Group Number(s): 16 6850 7

Client: Pace Analytical

Delivery and Receipt Information

Delivery Method:

Fed Ex

Arrival Timestamp:

06/04/2016 9:45

Number of Packages:

1

Number of Projects:

1

Arrival Condition Summary

Shipping Container Sealed:

Yes

Sample IDs on COC match Containers:

Yes

Custody Seal Present:

No

Sample Date/Times match COC:

Yes

Samples Chilled:

Yes

VOA Vial Headspace ≥ 6mm:

N/A

Paperwork Enclosed:

Yes

Total Trip Blank Qty:

0

Samples Intact:

Yes

Air Quality Samples Present:

No

Missing Samples:

Nο

Extra Samples:

No

Discrepancy in Container Qty on COC:

No

Unpacked by Krista Abel (3058) at 10:15 on 06/04/2016

Samples Chilled Details

Thermometer Types:

DT = Digital (Temp. Bottle)

IR = Infrared (Surface Temp)

All Temperatures in °C.

Cooler # Thermometer ID

32170023

Corrected Temp

Therm. Type

Ice Type

Ice Present?

Ice Container

Elevated Temp?

5.1

IR

Wet

Loose

N



Lancaster Laboratories Environmental

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL N.D.	Reporting Limit none detected	BMQL MPN	Below Minimum Quantitation Level Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
С	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
μg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	L	liter(s)
m3	cubic meter(s)	μL	microliter(s)
		pg/L	picogram/liter

< less than

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.

ppb parts per billion

Dry weight basisResults printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Laboratory Data Qualifiers:

B - Analyte detected in the blank

C - Result confirmed by reanalysis

E - Concentration exceeds the calibration range

J (or G, I, X) - estimated value ≥ the Method Detection Limit (MDL or DL) and < the Limit of Quantitation (LOQ or RL)

P - Concentration difference between the primary and confirmation column >40%. The lower result is reported.

U - Analyte was not detected at the value indicated

V - Concentration difference between the primary and confirmation column >100%. The reporting limit is raised due to this disparity and evident interference...

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.